



**NOTE:**

- FAUCET CONTROLS & FLUSH VALVE ON TOILET SHALL BE OPERABLE WITH ONE HAND & SHALL NOT REQUIRE TIGHT GRASPING, PINCHING OR TWISTING OF THE WRIST. THE FORCE REQUIRED TO ACTIVATE CONTROLS SHALL BE NO GREATER THAN 9LBS.
- BLOCKING REQUIRED FOR GRAB BAR, PAPER TOWEL HOLDER AND TOILET PAPER HOLDER.
- PAINTING CONTRACTOR SHALL CAULK ALL INSIDE WOOD CORNERS AND JOINTS BETWEEN TRIM & WALL PRIOR TO PAINTING.
- FLUSH CONTROLS MUST BE MOUNTED ON THE WIDE SIDE OF THE TOILET.
- OBJECTS PROJECTING INTO ACCESSIBLE ROUTES WITH LEADING EDGES BETWEEN 27" AND 80" A.F.F. PROTRUDE NO MORE THAN 4" INTO ACCESSIBLE CIRCULATION SPACES.
- DISPENSERS MUST PERMIT CONTINUOUS PAPER FLOW, AND MUST NOT CONTROL DELIVERY.
- WATERPROOF MEMBRANE AND FLOOR DRAIN REQUIRED IN ALL TOILET ROOMS AND ANY OTHER LOCATION WHERE WATER IS USED. EXTEND MINIMUM 6" UP WALLS.
- DRINKING FOUNTAIN (WHERE OCCURS - IN NON-PUBLIC AREAS ONLY): G.C. SHALL FURN. & INST. WHITE FRP PANELS BEHIND AND ADJACENT TO FIXTURES @ 4'-0" A.F.F. AND 18" MIN. PAST FIXTURE. MOP BASIN (WHERE OCCURS): G.C. SHALL FURN. & INST. WHITE FRP PANELS BEHIND AND ADJACENT TO FIXTURE @ 4'-0" A.F.F. AND 18" MIN. PAST FIXTURE.

RESPONSIBILITY SCHEDULE		DOES NOT APPLY	FURNISHED	REMARKS
NO.	DESCRIPTION	EXISTING	BY CONTRACTOR	
<b>LAVATORY</b>				
01	PROFLO #PF954WH - ADA 20 X 8 WALL MOUNT LAVATORY		●	WALL HUNG W/ 4" CENTER FAUCET HOLES
02	ZURN #ZB2BX13 CENTER SET LAVATORY 5-3/8 GOOSENECK		●	
03	PROFLO #PFXCAC32CLK12 LAV SUPPLY KIT		●	
04	PROFLO #PF201WH TRAP WRAP		●	
05	PROFLO #PFGD100 1-1/4X6 17GA GRID DRAIN CP		●	
<b>WATER CLOSET</b>				
06	TOTO #RST146L ELONGATED BOWL (COLOR: R01 COTTON)		●	ELONGATED & ADA HEIGHT
07	TOTO #RST48R TANK AND COVER (RIGHT HAND FLUSH) (COLOR: R01 COTTON)		●	AS REQ'D - (VERIFY WITH FLOOR PLAN)
08	TOTO #RST48L TANK AND COVER (LEFT HAND FLUSH) (COLOR: R01 COTTON)		●	AS REQ'D - (VERIFY WITH FLOOR PLAN)
09	TOTO #SS14 SOFTCLOSE TOILET SEAT (COLOR: R01 COTTON)		●	
10	ZURN #ZS472-COMB WAX RING W/ BOLT KIT		●	
<b>SERVICE BASIN</b>				
11	ZURN #Z196-24 MOP SERVICE BASIN		●	AS REQ'D - (VERIFY WITH FLOOR PLAN)
12	ZURN #ZB48M-RC-5H Aqua Spec Service Faucet with #G63561		●	(#ZB48M-RC-5H SERVICE BASIN W/ 9" HOSE) - (#G63561 MALE SPRAY OUTLET - 1.0 GPM)
<b>DRINKING FOUNTAIN</b>				
13	OMIS #R6AC-5TN WALL MOUNT SINGLE DRINKING FOUNTAIN		●	AS REQ'D - (VERIFY WITH FLOOR PLAN)
14	OMIS #R6AC5L-5TN UNIVERSAL SPLIT LEVEL DRINKING FOUNTAIN		●	AS REQ'D - (VERIFY WITH FLOOR PLAN)
15	OMIS #03174-003 Apron/Skirt Extension for #R6AC5L-5TN		●	(WHERE OCCURS)
<b>WATER HEATER</b>				
16	CHROMOMITE BR30L/20V INSTANT FLOW WATER HEATER		●	(WHERE OCCURS)
17	B/WLDBU1 WATER HEATER COMM 1Ea LDTY 101 & GAL		●	(WHERE OCCURS)
<b>ACCESSORIES</b>				
18	HAND DRYER: Ver44D1 #0-474A		●	
19	BOBRICK #B-6977 TOILET PAPER DISPENSER		●	
20	ASI #10-0796-4 TOOL HOLDER		●	
21	TRASH CAN		●	(1) PER EACH TOILET ROOM
22	MIRROR		●	
<b>GRAB BARS</b>				
23	BOBRICK #B-6806-99-99x18 18" GRAB BAR		●	(WHERE OCCURS)
24	BOBRICK #B-6806-99-99x42 42" GRAB BAR		●	(WHERE OCCURS)
25	BOBRICK #B-6806-99-99x24 24" GRAB BAR		●	(WHERE OCCURS)
26	BOBRICK #B-4998-99 SWING UP GRAB BAR		●	(WHERE OCCURS)
27	BOBRICK #B-5898-99 "L" SHAPED GRAB BAR		●	(WHERE OCCURS)
<b>NOTES:</b>				
• INSTALLATION COORDINATION BY G.C.				
• SEE DRAWING P.0.00 FOR PLUMBING DIAGRAMS, NOTES, AND SPECS.				

TOILET ROOM DETAILS

AMERICAN EAGLE OUTFITTERS  
Puebla Outlet Premier  
Puebla, MX

Store No.

9250

Drawing No.

A.0.150

NOTE:  
DETAILS, NOTES, AND/OR SPECIFICATIONS ON THIS SHEET NOT LISTED ALPHABETICALLY OR NUMERICALLY HAVE BEEN PURPOSELY OMITTED AND DO NOT PERTAIN TO THIS PROJECT.